

Anexo 2. Matriz de abundancias usada para los análisis numéricos (65 parcelas, 60 especies y 5428 individuos).

| Especie | P01 | P02 | P03 | P04 | P05 | P06 | P07 | P09 | P10 | P11 | P12 | P13 | P14 | P15 |
|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| <i>Loxopterygium huasango</i> Spruce ex Engl. | 0 | 0 | 0 | 0 | 2 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| <i>Tagetes</i> sp. | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Vernonia</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Encelia canescens</i> Lam. var. <i>canescens</i> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Tecoma</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Cochlospermum vitifolium</i> (Willd.) Spreng. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Cordia lutea</i> Lam. | 0 | 0 | 0 | 15 | 10 | 17 | 4 | 0 | 18 | 26 | 0 | 0 | 28 | 14 |
| <i>Bursera graveolens</i> (H. B. K.) Triana & Planch. | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| <i>Opuntia</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Neoraimondia arequipensis</i> (Meyen) Backeb. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Arnautocereus cartonghianus</i> (Britton & Rose) Backeb. ex A.W. Hill | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Capparis</i> sp.2 | 0 | 0 | 0 | 1 | 3 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Capparis crotonoides</i> Kunth | 0 | 0 | 0 | 0 | 0 | 0 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Capparis mollis</i> Kunth | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Capparis avicenniifolia</i> Kunth | 0 | 0 | 0 | 6 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 20 | 0 | 0 |
| <i>Capparis scabrida</i> Kunth | 1 | 1 | 0 | 0 | 2 | 1 | 15 | 1 | 2 | 0 | 3 | 2 | 0 | 1 |
| <i>Maytenus</i> sp.2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Maytenus</i> sp.1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ipomoea carnea</i> Jacquin | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| <i>Croton</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Croton</i> cf. <i>wagneri</i> Müll. Arg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Hyptis</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Senna undulata</i> (Benth.) H. Irwin & Barneby | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Parkinsonia praecox</i> (Ruiz & Pav.) Hawkins subsp. <i>praecox</i> | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Caesalpinia glabrata</i> Kunth | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| <i>Albizia multiflora</i> (Kunth) Barneby & J.W. Grimes | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Mimosa</i> cf. <i>acantholoba</i> (Humb. & Bonpl. ex Willd.) Poir. | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Leucaena trichodes</i> (Jacq.) Benth. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Pithecellobium excelsum</i> (Kunth) Mart. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Acacia macracantha</i> H. & B. ex Willdenow | 0 | 0 | 1 | 20 | 0 | 0 | 0 | 10 | 15 | 22 | 34 | 0 | 0 | 0 |
| <i>Prosopis pallida</i> (Humb. & Bonpl. ex Willd.) Kunth | 5 | 22 | 3 | 0 | 0 | 2 | 0 | 84 | 5 | 7 | 11 | 2 | 31 | 0 |
| <i>Piscidia carthagenensis</i> Jacq. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Geoffroea spinosa</i> Jacq. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Erythrina smithiana</i> Krukoff | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Buddleja americana</i> L. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ceiba trichistandra</i> (A. Gray) Bakh. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Eriotheca ruizii</i> (K. Schum.) A. Robyns | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Guazuma ulmifolia</i> (Lam.) Kuntze var. <i>ulmifolia</i> | 0 | 0 | 0 | 0 | 19 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Muntingia calabura</i> L. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ficus nymphacifolia</i> Mill. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Myrcianthes discolor</i> (HBK) McVaugh | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Bougainvillea peruviana</i> Bonpl. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Bougainvillea pachyphylla</i> Heimerl ex Standl. | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| <i>Pisonia macranthocarpa</i> J. D. Smith | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ximelia americana</i> L. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Priogymanthus</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Piper</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Coccoloba densifrons</i> Mart. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Coccoloba</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Coccoloba ruiziana</i> Lindau | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Scutia spicata</i> (Humb. & Bonpl. ex Willd.) Weberb. var. <i>spicata</i> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 |
| <i>Alseis peruviana</i> Standl. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Simira rubescens</i> (Benth.) Bremek. ex Steyerem. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Sideroxylon</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Galvesia fruticosa</i> J. F. Gmel. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Duranta</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Acnistus arborescens</i> (L.) Schlttdl. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Cestrum auriculatum</i> L'Her. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Celtis iguanaea</i> (Jacq.) Sarg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Phoradendron</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

(continúa...)

Anexo 2. (continuación)

| Especie | P16 | P17 | P18 | P19 | P20 | P21 | P22 | P23 | P24 | P25 | P26 | P27 | P28 | P29 |
|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| <i>Loxopterygium huasango</i> Spruce ex Engl. | 14 | 0 | 1 | 2 | 1 | 0 | 2 | 1 | 2 | 0 | 0 | 0 | 0 | 1 |
| <i>Tagetes</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Vernonia</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Encelia canescens</i> Lam. var. <i>canescens</i> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| <i>Tecoma</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Cochlospermum vitifolium</i> (Willd.) Spreng. | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Cordia lutea</i> Lam. | 4 | 0 | 21 | 14 | 8 | 7 | 20 | 33 | 21 | 6 | 12 | 17 | 8 | 9 |
| <i>Bursera graveolens</i> (H. B. K.) Triana & Planch. | 1 | 0 | 3 | 2 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| <i>Opuntia</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Neoraimondia arequipensis</i> (Meyen) Backeb. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 |
| <i>Armatocereus cartwrightianus</i> (Britton & Rose) Backeb. ex A.W. Hill | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 |
| <i>Capparis</i> sp.2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Capparis crotonoides</i> Kunth | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Capparis mollis</i> Kunth | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Capparis avicenniifolia</i> Kunth | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 4 |
| <i>Capparis scabrida</i> Kunth | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| <i>Maytenus</i> sp.2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Maytenus</i> sp.1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ipomoea carnea</i> Jacquin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Croton</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Croton</i> cf. <i>wagneri</i> Müll. Arg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Hyptis</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Senna undulata</i> (Benth.) H. Irwin & Barneby | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Parkinsonia praecox</i> (Ruiz & Pav.) Hawkins subsp. <i>praecox</i> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 0 |
| <i>Caesalpinia glabrata</i> Kunth | 0 | 1 | 8 | 1 | 13 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Albizia multiflora</i> (Kunth) Barneby & J.W. Grimes | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Mimosa</i> cf. <i>acantholoba</i> (Humb. & Bonpl. ex Willd.) Poir. | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Leucaena trichodes</i> (Jacq.) Benth. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Pithecellobium excelsum</i> (Kunth) Mart. | 1 | 14 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Acacia macracantha</i> H. & B. ex Willdenow | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 12 | 0 | 0 | 0 | 0 | 11 |
| <i>Prosopis pallida</i> (Humb. & Bonpl. ex Willd.) Kunth | 0 | 0 | 3 | 0 | 0 | 4 | 9 | 20 | 55 | 46 | 100 | 54 | 57 | 16 |
| <i>Piscidia carthagenensis</i> Jacq. | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Geoffroea spinosa</i> Jacq. | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Erythrina smithiana</i> Krukoff | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Buddleja americana</i> L. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ceiba trichistandra</i> (A. Gray) Bakh. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Eriotheca ruizii</i> (K. Schum.) A. Robyns | 1 | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Guazuma ulmifolia</i> (Lam.) Kuntze var. <i>ulmifolia</i> | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 12 | 0 | 0 | 0 | 0 | 0 |
| <i>Muntingia calabura</i> L. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ficus nymphacifolia</i> Mill. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Myrcianthes discolor</i> (HBK) McVaugh | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Bougainvillea peruviana</i> Bonpl. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Bougainvillea pachyphylla</i> Heimerl ex Standl. | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| <i>Pisonia macranthocarpa</i> J. D. Smith | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ximenia americana</i> L. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Priogymnanthus</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Piper</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Coccoloba densifrons</i> Mart. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Coccoloba</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Coccoloba ruiziana</i> Lindau | 0 | 0 | 0 | 11 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Scutia spicata</i> (Humb. & Bonpl. ex Willd.) Weberb. var. <i>spicata</i> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Alseis peruviana</i> Standl. | 7 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Simira rubescens</i> (Benth.) Bremek. ex Steyererm. | 3 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Sideroxylon</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Galvesia fruticosa</i> J. F. Gmel. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Duranta</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Acnistus arborescens</i> (L.) Schtdl. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Cestrum auriculatum</i> L'Her. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Celtis iguanaea</i> (Jacq.) Sarg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Phoradendron</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

(continúa...)

Anexo 2. (continuación)

| Especie | P30 | P31 | P32 | P33 | P34 | P35 | P36 | P37 | P38 | P39 | P40 | P41 | P42 | P43 |
|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| <i>Loxopterygium huasango</i> Spruce ex Engl. | 0 | 34 | 0 | 0 | 0 | 0 | 0 | 1 | 7 | 1 | 3 | 2 | 2 | 5 |
| <i>Tagetes</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 0 | 0 |
| <i>Vernonia</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Encelia canescens</i> Lam. var. <i>canescens</i> | 15 | 31 | 2 | 0 | 0 | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Tecoma</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Cochlospermum vitifolium</i> (Willd.) Spreng. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Cordia lutea</i> Lam. | 0 | 16 | 7 | 0 | 0 | 0 | 28 | 11 | 4 | 45 | 20 | 21 | 9 | 6 |
| <i>Bursera graveolens</i> (H. B. K.) Triana & Planch. | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 5 | 2 | 0 | 2 | 0 | 0 | 1 |
| <i>Opuntia</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Neoraimondia arequipensis</i> (Meyen) Backeb. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| <i>Armatoceus cartwrightianus</i> (Britton & Rose) Backeb. ex A.W. Hill | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 0 | 0 | 7 | 0 | 2 | 0 | 0 |
| <i>Capparis</i> sp.2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Capparis crotonoides</i> Kunth | 0 | 5 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 3 | 8 | 0 |
| <i>Capparis mollis</i> Kunth | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| <i>Capparis avicenniifolia</i> Kunth | 2 | 0 | 1 | 8 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Capparis scabrifolia</i> Kunth | 0 | 1 | 3 | 1 | 3 | 5 | 0 | 3 | 6 | 0 | 2 | 6 | 6 | 1 |
| <i>Maytenus</i> sp.2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Maytenus</i> sp.1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ipomoea carnea</i> Jacquin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 0 |
| <i>Croton</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Croton</i> cf. <i>wagneri</i> Müll. Arg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Hyptis</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Senna undulata</i> (Benth.) H. Irwin & Barneby | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Parkinsonia praecox</i> (Ruiz & Pav.) Hawkins subsp. <i>praecox</i> | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Caesalpinia glabrata</i> Kunth | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 6 | 1 | 0 | 0 | 0 |
| <i>Albizia multiflora</i> (Kunth) Barneby & J.W. Grimes | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Mimosa</i> cf. <i>acantholoba</i> (Humb. & Bonpl. ex Willd.) Poir. | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 23 | 30 | 4 | 0 | 2 | 0 | 0 |
| <i>Leucaena trichodes</i> (Jacq.) Benth. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Pithecellobium excelsum</i> (Kunth) Mart. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Acacia macracantha</i> H. & B. ex Willdenow | 162 | 15 | 13 | 0 | 1 | 42 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Prosopis pallida</i> (Humb. & Bonpl. ex Willd.) Kunth | 30 | 6 | 1 | 3 | 1 | 9 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Piscidia carthagenensis</i> Jacq. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Geoffroea spinosa</i> Jacq. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Erythrina smithiana</i> Krukoff | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Buddleja americana</i> L. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ceiba trichistandra</i> (A. Gray) Bakh. | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Eriotheca ruizii</i> (K. Schum.) A. Robyns | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 10 | 0 | 0 | 0 | 0 | 0 |
| <i>Guazuma ulmifolia</i> (Lam.) Kuntze var. <i>ulmifolia</i> | 0 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 2 | 1 | 1 | 7 |
| <i>Muntingia calabura</i> L. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ficus nymphaeifolia</i> Mill. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Myrcianthes discolor</i> (HBK) McVaugh | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Bougainvillea peruviana</i> Bonpl. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Bougainvillea pachyphylla</i> Heimerl ex Standl. | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| <i>Pisonia macranthocarpa</i> J. D. Smith | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ximenesia americana</i> L. | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 0 |
| <i>Priogymnanthus</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Piper</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Coccoloba densifrons</i> Mart. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Coccoloba</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Coccoloba ruiziana</i> Lindau | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Scutia spicata</i> (Humb. & Bonpl. ex Willd.) Weberb. var. <i>spicata</i> | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Alseis peruviana</i> Standl. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Simira rubescens</i> (Benth.) Bremek. ex Steyerf. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Sideroxylon</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Galvesia fruticosa</i> J. F. Gmel. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| <i>Duranta</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Acnistus arborescens</i> (L.) Schtdl. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Cestrum auriculatum</i> L'Her. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Celtis iguanaea</i> (Jacq.) Sarg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Phoradendron</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

(continúa...)

Anexo 2. (continuación)

| Especie | P44 | P45 | P46 | P47 | P48 | P49 | P50 | P51 | P52 | P53 | P54 | P55 | P56 | P57 |
|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| <i>Loxopterygium huasango</i> Spruce ex Engl. | 0 | 0 | 1 | 1 | 0 | 1 | 2 | 0 | 3 | 2 | 1 | 1 | 0 | 0 |
| <i>Tagetes</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Vernonia</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Encelia canescens</i> Lam. var. <i>canescens</i> | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Tecoma</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Cochlospermum vitifolium</i> (Willd.) Spreng. | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 |
| <i>Cordia lutea</i> Lam. | 0 | 17 | 16 | 8 | 10 | 4 | 23 | 55 | 0 | 25 | 42 | 33 | 0 | 0 |
| <i>Bursera graveolens</i> (H. B. K.) Triana & Planch. | 0 | 0 | 3 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| <i>Opuntia</i> sp. | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Neoraimondia arequipensis</i> (Meyen) Backeb. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 1 | 0 | 0 | 0 |
| <i>Armatocereus cartwrightianus</i> (Britton & Rose) Backeb. ex A.W. Hill | 0 | 0 | 18 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 0 | 0 |
| <i>Capparis</i> sp.2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Capparis crotonoides</i> Kunth | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Capparis mollis</i> Kunth | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Capparis avicenniifolia</i> Kunth | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Capparis scabrida</i> Kunth | 12 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| <i>Maytenus</i> sp.2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Maytenus</i> sp.1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ipomoea carnea</i> Jacquin | 0 | 0 | 14 | 1 | 135 | 23 | 9 | 21 | 4 | 9 | 57 | 0 | 0 | 0 |
| <i>Croton</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Croton</i> cf. <i>wagneri</i> Müll. Arg. | 0 | 0 | 31 | 1 | 53 | 255 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Hyptis</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Senna undulata</i> (Benth.) H. Irwin & Barneby | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Parkinsonia praecox</i> (Ruiz & Pav.) Hawkins subsp. <i>praecox</i> | 21 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Caesalpinia glabrata</i> Kunth | 0 | 0 | 0 | 1 | 2 | 3 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Albizia multiflora</i> (Kunth) Barneby & J.W. Grimes | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Mimosa</i> cf. <i>acantholoba</i> (Humb. & Bonpl. ex Willd.) Poir. | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Leucaena trichodes</i> (Jacq.) Benth. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Pithecellobium excelsum</i> (Kunth) Mart. | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 3 | 0 | 1 | 0 | 0 |
| <i>Acacia macracantha</i> H. & B. ex Willdenow | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Prosopis pallida</i> (Humb. & Bonpl. ex Willd.) Kunth | 39 | 49 | 0 | 0 | 0 | 0 | 0 | 85 | 0 | 0 | 5 | 0 | 12 | 3 |
| <i>Piscidia carthagenensis</i> Jacq. | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 17 | 2 | 0 | 0 | 0 | 0 |
| <i>Geoffroea spinosa</i> Jacq. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| <i>Erythrina smithiana</i> Krukoff | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| <i>Buddleja americana</i> L. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ceiba trichistandra</i> (A. Gray) Bakh. | 0 | 0 | 1 | 1 | 0 | 2 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 |
| <i>Eriotheca ruizii</i> (K. Schum.) A. Robyns | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 |
| <i>Guazuma ulmifolia</i> (Lam.) Kuntze var. <i>ulmifolia</i> | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 5 | 1 | 0 | 81 | 0 | 0 |
| <i>Muntingia calabura</i> L. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ficus nymphacifolia</i> Mill. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Myrcianthes discolor</i> (HBK) McVaugh | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Bougainvillea peruviana</i> Bonpl. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Bougainvillea pachyphylla</i> Heimerl ex Standl. | 0 | 0 | 6 | 3 | 2 | 1 | 0 | 0 | 1 | 1 | 1 | 9 | 0 | 0 |
| <i>Pisonia macranthocarpa</i> J. D. Smith | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ximenea americana</i> L. | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| <i>Priogymnanthus</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Piper</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Coccoloba densifrons</i> Mart. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Coccoloba</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Coccoloba ruiziana</i> Lindau | 0 | 0 | 0 | 5 | 8 | 4 | 7 | 0 | 7 | 2 | 0 | 5 | 0 | 0 |
| <i>Scutia spicata</i> (Humb. & Bonpl. ex Willd.) Weberb. var. <i>spicata</i> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Alseis peruviana</i> Standl. | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 9 | 4 | 0 | 0 | 0 | 0 |
| <i>Simira rubescens</i> (Benth.) Bremek. ex Steyerdm. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 46 | 0 | 0 | 0 | 0 | 0 |
| <i>Sideroxylon</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Galvesia fruticosa</i> J. F. Gmel. | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Duranta</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Acnistus arborescens</i> (L.) Schlttdl. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Cestrum auriculatum</i> L'Her. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Celtis iguanaea</i> (Jacq.) Sarg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Phoradendron</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

(continúa...)

Anexo 2. (continuación)

| Especie | P58 | P59 | P60 | P61 | P62 | P63 | P64 | P65 | P66 |
|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| <i>Loxopterygium huasango</i> Spruce ex Engl. | 0 | 8 | 8 | 4 | 5 | 9 | 3 | 12 | 7 |
| <i>Tagetes</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Vernonia</i> sp. | 0 | 10 | 11 | 9 | 8 | 0 | 0 | 1 | 0 |
| <i>Encelia canescens</i> Lam. var. <i>canescens</i> | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Tecoma</i> sp. | 0 | 0 | 0 | 0 | 5 | 0 | 11 | 2 | 5 |
| <i>Cochlospermum vitifolium</i> (Willd.) Spreng. | 0 | 0 | 0 | 4 | 2 | 0 | 0 | 0 | 0 |
| <i>Cordia lutea</i> Lam. | 0 | 3 | 3 | 1 | 1 | 13 | 0 | 5 | 2 |
| <i>Bursera graveolens</i> (H. B. K.) Triana & Planch. | 0 | 8 | 6 | 3 | 9 | 7 | 6 | 6 | 10 |
| <i>Opuntia</i> sp. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Neoraimondia arequipensis</i> (Meyen) Backeb. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Armatocereus cartwrightianus</i> (Britton & Rose) Backeb. ex A.W. Hill | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Capparis</i> sp.2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Capparis crotonoides</i> Kunth | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Capparis mollis</i> Kunth | 0 | 8 | 8 | 7 | 5 | 6 | 4 | 5 | 6 |
| <i>Capparis avicenniifolia</i> Kunth | 11 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 |
| <i>Capparis scabrida</i> Kunth | 1 | 1 | 0 | 5 | 1 | 2 | 0 | 2 | 3 |
| <i>Maytenus</i> sp.2 | 0 | 1 | 3 | 10 | 4 | 0 | 0 | 0 | 2 |
| <i>Maytenus</i> sp.1 | 0 | 12 | 8 | 9 | 10 | 18 | 21 | 1 | 0 |
| <i>Ipomoea carnea</i> Jacquin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Croton</i> sp. | 0 | 0 | 0 | 5 | 0 | 0 | 3 | 0 | 0 |
| <i>Croton</i> cf. <i>wagneri</i> Müll. Arg. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Hyptis</i> sp. | 0 | 6 | 2 | 6 | 2 | 0 | 0 | 4 | 4 |
| <i>Senna undulata</i> (Benth.) H. Irwin & Barneby | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 4 |
| <i>Parkinsonia praecox</i> (Ruiz & Pav.) Hawkins subsp. <i>praecox</i> | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Caesalpinia glabrata</i> Kunth | 0 | 4 | 1 | 3 | 4 | 5 | 3 | 5 | 3 |
| <i>Albizia multiflora</i> (Kunth) Barneby & J.W. Grimes | 0 | 10 | 7 | 6 | 11 | 11 | 11 | 4 | 5 |
| <i>Mimosa</i> cf. <i>acantholoba</i> (Humb. & Bonpl. ex Willd.) Poir. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Leucaena trichodes</i> (Jacq.) Benth. | 0 | 9 | 15 | 12 | 3 | 10 | 17 | 2 | 4 |
| <i>Pithecellobium excelsum</i> (Kunth) Mart. | 0 | 19 | 20 | 22 | 14 | 24 | 15 | 23 | 15 |
| <i>Acacia macracantha</i> H. & B. ex Willdenow | 0 | 10 | 8 | 5 | 10 | 10 | 11 | 4 | 5 |
| <i>Prosopis pallida</i> (Humb. & Bonpl. ex Willd.) Kunth | 5 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| <i>Piscidia carthagenensis</i> Jacq. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Geoffroea spinosa</i> Jacq. | 0 | 3 | 5 | 2 | 1 | 4 | 2 | 3 | 2 |
| <i>Erythrina smithiana</i> Krukoff | 0 | 17 | 13 | 16 | 19 | 14 | 18 | 10 | 14 |
| <i>Buddleja americana</i> L. | 0 | 0 | 11 | 3 | 5 | 0 | 7 | 1 | 2 |
| <i>Ceiba trichistandra</i> (A. Gray) Bakh. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 |
| <i>Eriotheca ruizii</i> (K. Schum.) A. Robyns | 0 | 52 | 31 | 46 | 52 | 59 | 44 | 48 | 37 |
| <i>Guazuma ulmifolia</i> (Lam.) Kuntze var. <i>ulmifolia</i> | 0 | 0 | 0 | 0 | 0 | 0 | 19 | 3 | 2 |
| <i>Muntingia calabura</i> L. | 0 | 6 | 11 | 3 | 10 | 4 | 8 | 6 | 6 |
| <i>Ficus nymphacifolia</i> Mill. | 0 | 5 | 8 | 4 | 3 | 2 | 10 | 6 | 5 |
| <i>Myrcianthes discolor</i> (HBK) McVaugh | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| <i>Bougainvillea peruviana</i> Bonpl. | 0 | 1 | 1 | 0 | 1 | 8 | 1 | 0 | 2 |
| <i>Bougainvillea pachyphylla</i> Heimerl ex Standl. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Pisonia macranthocarpa</i> J. D. Smith | 0 | 6 | 9 | 9 | 2 | 0 | 0 | 2 | 6 |
| <i>Ximenesia americana</i> L. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Priogymnanthus</i> sp. | 0 | 2 | 0 | 12 | 7 | 11 | 20 | 14 | 9 |
| <i>Piper</i> sp. | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 3 | 2 |
| <i>Coccoloba densifrons</i> Mart. | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 8 | 3 |
| <i>Coccoloba</i> sp. | 0 | 0 | 0 | 10 | 3 | 0 | 0 | 3 | 6 |
| <i>Coccoloba ruiziana</i> Lindau | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Scutia spicata</i> (Humb. & Bonpl. ex Willd.) Weberb. var. <i>spicata</i> | 1 | 3 | 13 | 5 | 3 | 4 | 1 | 5 | 6 |
| <i>Alseis peruviana</i> Standl. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Simira rubescens</i> (Benth.) Bremek. ex Steyerf. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Sideroxylon</i> sp. | 0 | 1 | 1 | 5 | 0 | 6 | 1 | 1 | 2 |
| <i>Galvesia fruticosa</i> J. F. Gmel. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Duranta</i> sp. | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 |
| <i>Acnistus arborescens</i> (L.) Schlttdl. | 0 | 0 | 0 | 10 | 7 | 0 | 0 | 0 | 0 |
| <i>Cestrum auriculatum</i> L'Her. | 0 | 9 | 5 | 6 | 9 | 0 | 1 | 10 | 8 |
| <i>Celtis iguanaea</i> (Jacq.) Sarg. | 0 | 9 | 5 | 6 | 7 | 20 | 17 | 5 | 6 |
| <i>Phoradendron</i> sp. | 0 | 0 | 10 | 0 | 0 | 4 | 0 | 1 | 1 |